



















probe shelving









probe cloakroom





probe plastic lockers





















Solutions for every environment























Shelf Material

- Shelf Adjustability
- 25mm pitch on clips Configuration
- Frame Type
- Bay Type
- Max. Shelf Load UDL* Up to 130kg*
- Max. Bay Load UDSWL* Up to 1,000kg
- Dimensions

18 heights: From 950mm to 3500mm 12 depths: From 200mm to 600mm

8 widths*: From 600mm to 1250mm

- Upright Colour
- Shelf Colour White or Light Grev
- ActiveCoat Light Grey only
- Accessories Available Part Height Divider Full Height Divider Lateral Filing Cradle Pull-out Filing Cradle Pull-out Reference Shel Pull-out Drawers Full Height Doors Plastic Drawer/Bins

4.15

Cladding

MONO

- Shelf Material
- Shelf Adjustability 25mm pitch on clips
- Configuration
- Frame Type
- Bay Type
- Max. Shelf Load UDL*
- Max. Bay Load UDSWL* Up to 1,000kg
- Dimensions

18 heights: From 950mm to 3500mm 12 depths: From 200mm to 600mm 8 widths*: From 600mm to 1250mm

Upright Colour

- Shelf Colour White or Grey
- ActiveCoat Light Grev only
- Accessories Available Part Height Divider Full Height Divider Lateral Filing Cradle Pull-out Filing Cradle Pull-out Reference Shel Pull-out Drawers Full Height Doors Plastic Drawer/Bins Cladding Mesh Frame Cladding

SOLO

- Shelf Material
- Shelf Adjustability 25mm pitch on clips
- Configuration
- Frame Type
- Bay Type
- Max. Shelf Load UDL*
- Max. Bay Load UDSWL* Up to 700kg
- Dimensions

18 heights: From 950mm to 3500mm 12 depths: From 200mm to 600mm 8 widths*: From 600mm to 1250mm

Upright Colour

- Shelf Colour White or Grev
- ActiveCoat Light Grev only
- Accessories Available Part Height Divider Full Height Divider Lateral Filing Cradle Pull-out Filing Cradle Pull-out Reference Shel Pull-out Drawers Full Height Doors Plastic Drawer/Bins Cladding

MOBILE

- Material
- Shelf Adjustability
- Configuration Track or Trackless
- Frame Type
- Bay Type
- Max. Load UDL*
- Max. Bay Load UDL* Up to 1,000kg
- **Dimensions**

Height: based on shelving plus height of mobile base & track Depth: to suit shelving

Width: to suit runs of shelving

Colour White or light grey

> Shelf Colour Dependent on system chosen

• ActiveCoat Light Grev only

16.21

Accessories Available

STANDARD

Shelf Material 18mm chiphoard on Steel Beams

- **Shelf Adjustability** 38mm pitch on beams
- Configuration
- Frame Type
- Bay Type
- Max. Shelf Load UDL*
- Max. Bay Load UDL* Up to 2000kg
- Dimensions

1981 & 2438mm 3 depths 300, 450 & 600mm 3 widths: 900, 1200 & 1500mm

- Upright Colour Blue, Red, Light or Graphite Grev
- Shelf Colour Light Grev Beams
- ActiveCoat Light Grey only

22.25

HEAVY DUTY

- Shelf Material 18mm chiphoard on Steel Beams
- Shelf Adjustability 38mm pitch on beams
- Configuration
- Frame Type
- Bay Type
- Max. Shelf Load UDL* Up to 650kg*
- Max. Bay Load UDL* Up to 3000ka³
- Dimensions

1981 & 2438mm 3 depths 450, 600 & 900mm 6 widths: 900 - 2400mm

- Upright Colour Blue, Red, Light or Graphite Grev
- Shelf Colour Light Grev Beams
- ActiveCoat Light Grey only

INDUSTRIAL

- Shelf Material Chipboard or Galvanised
- Steel Panels on Steel Beams
- Shelf Adjustability 50mm pitch on beams
- Configuration Static. Mobile or Tiered
- Frame Type
- Bay Type Back type open
- Max. Shelf Load UDL*
- Max. Bay Load UDL* Up to 6800kg3
- **Dimensions** 20 heights between:
- 1200 4050mm 6 depths between: 450 - 1200mm
- 14 widths between: 1050 - 3000mm
- Upright Colour Light Grey
- Shelf Colour Light Grey Beams
- ActiveCoat Light Grev only

26-29

INDUSTRIAL

- Shelf Material
- Shelf Adjustability 50mm pitch on clips
- Configuration Static, Mobile or Tiered
- Frame Type
- Bay Type Open, Clad or Mesh
- Max. Shelf Load UDL* Up to 350kg⁴
- Max. Bay Load UDL* Up to 5500kg³
- Dimensions 18 heights between 1200 - 3600mm
- 8 depths between 250 - 900mm 4 widths between

900- 1250mm

- Upright Colour Light or Graphite Grey Blue
- Shelf Colour Light Grev
- ActiveCoat Light Grev only
- Accessories Available Part Height Divider Full Height Divider Bin Fronts Pull-out Reference Shelf Pull-out Drawer Pull-out Filing Cradle Hanging Garment Rail Half & Full Height Doors

30.33

*Depending on specification

www.probe-manufacture.co.uk









STORMOR SHELVING - A TRULY INTEGRATED SYSTEM









This shelving system is an evolution of our best selling Mistral shelving. The shelving accessories are fully compatible, excluding door sets as the shelving heights have been optimised for efficient storage of contemporary products.







ACCESSORIES



Available in several load duties for varying load applications. With many widths and depths available, this system is extremely versatile. The open shelf is even compatible with hanging files.




PULL OUT SHELF

These Pull Out Shelves offer quick and convenient access to many items and can be utilised as a retractable work surface. Available for 1000wide bays. Three depths available. Max 20kg per pull out shelf.



PULL OUT CRADLE[†]

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm.



A huge range of Full Height, Part Height and Under-Shelf Dividers are available, see technical literature for all options.



PULL OUT DRAWER

Fitted onto telescopic arms, these pull out draws are available in three heights and three depths. Internal dividers are available.



Door sets allow bays to be used as lockable cupboards. Available in several heights and widths. Compatible with pull-out accessories.

Probe reserve the right to alter design and price without prior consent.

www.probe-manufacture.co.uk

*Dependent on specification

STORMOR DUO SHELMING

Features & benefits

- O Ideal for office, store room or even warehouse
- O Shelves are clipped in position for quick assembly
- O A stylish and adaptive shelving system

- O Extension bays can be added very quickly and simply
- O Compatible with all Stormor uprights
- O Many sizes available to suit your storage needs



DOOR SETS

Door sets allow bays to be used as lockable cupboards. These are available in several heights and widths and are compatible with pull-out accessories.



PULL OUT CRADLE[†]

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm

STYLISH LISH



DUO UPRIGHT

AVAILABLE COLOURS

GREY RAL 7035

WHITE RAL 9016



18 HEIGHTS AVAILABLE

From 950mm to a towering 3500mm

12 DEPTHS

From 200mm to 600mm

8 WIDTHS*

*Not all accessories are available in all widths.



BOX SHELF

Available in three load duties for varying load applications. With four widths and eight depths available, this system is extremely versatile.



OPEN SHELF†

A multi-purpose shelf with two load duties and many widths and depths available. An open flange design makes this shelf compatible with hanging files.



PULL OUT SHELF

Offering convenient access to and can be utilised as a retractable work surface. Available for 1000mm wide bays. Three depths available.

Max 20kg per pull out shelf.



PULL OUT CRADLE[†]

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm.



PLASTIC DRAWER UNITS

Ideal for separating small components, these easy access cantilever drawers come in three convenient sizes. Draw dividers also available.



PULL OUT DRAWER

Fitted onto telescopic arms, these pull out draws are available in three heights and three depths. Internal dividers are available.



DIVIDERS

A huge range of Full Height, Part Height and Under-Shelf Dividers are available, see technical literature for all options.



DOOR SETS

Door sets allow bays to be used as lockable cupboards.
Available in several heights and widths. Compatible with pull-out accessories.



STORMOR MONO SHELVING

Features & benefits

- O Ideal for store room or even warehouse
- O Shelves are clipped in position for quick assembly
- O A stylish and adaptive shelving system

- O Extension bays can be added very quickly and simply
- O Compatible with all Stormor uprights
- O Many sizes available to suit your storage needs



MESH FRAME CLADDING

These pre-galvanised Mesh Panels are perfect for separating stored items while allowing full vis-ability and ventilation



GARMENT HANGING RAIL

A choice of two rail diameters available. The rails are re

positionable in the available slots.

FLOOR FIXINGS AVAILABLE

See technical literature.

ECONOMICALOMICAL



MONO UPRIGHT

AVAILABLE COLOURS

WHITE



18 HEIGHTS AVAILABLE From 950mm to a towering 3500mm

12 DEPTHS From 200mm to 600mm

8 WIDTHS*

*Not all accessories are available in all widths.



BOX SHELF

Available in three load duties for varying load applications. With four widths and eight depths available, this system is extremely versatile.



OPEN SHELF[†]

A multi-purpose shelf with two load duties and many widths and depths available. An open flange design makes this shelf compatible with hanging files.



PULL OUT SHELF

Offering convenient access to and can be utilised as a retractable work surface. Available for 1000mm wide bays. Three depths available. Max 20kg per pull out shelf.



PULL OUT CRADLE[†]

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm



PLASTIC DRAWER UNITS

Ideal for separating small components, these easy access cantilever drawers come in three convenient sizes. Draw dividers also available.



PULL OUT DRAWER

Fitted onto telescopic arms, these pull out draws are available in three heights and three depths. Internal dividers are available.



DIVIDERS

A huge range of Full Height, Part Height and Under-Shelf Dividers are available, see technical literature for all options.



DOOR SETS

Door sets allow bays to be used as lockable cupboards. Available in several heights and widths. Compatible with pull-out accessories.



STORMOR SOLO SHELMING

Features & benefits


- O Ideal for office, store room or even warehouse
- O Shelves are clipped in position for quick assembly
- O A stylish and adaptive shelving system

- O Extension bays can be added very quickly and simply
- O Compatible with all Stormor uprights
- O Many sizes available to suit your storage needs



BOX SHELF

Available in three load duties for varying load applications. With four widths and eight depths available, this system is extremely versatile.



OPEN SHELF[†]

A multi-purpose shelf with two load duties and many widths and depths available. An open flange design makes this shelf compatible with hanging files.



PULL OUT SHELF

Offering convenient access to and can be utilised as a retractable work surface. Available for 1000mm wide bays. Three depths available. Max 20kg per pull out shelf.



PULL OUT CRADLE[†]

This Pull Out Cradle is designed to give easy access to stored hanging files and is available for 1000mm wide bays and is available in three depths: 370mm, 400mm & 450mm

PRACTICAL



SOLO UPRIGHT

AVAILABLE COLOURS

GREY RAL 7035

WHITE



18 HEIGHTS AVAILABLE

From 950mm to a towering 3500mm **12 DEPTHS**

From 200mm to 600mm

8 WIDTHS*



PLASTIC DRAWER UNITS

Ideal for separating small components, these easy access cantilever drawers come in three convenient sizes. Draw dividers also available.



PULL OUT DRAWER

Fitted onto telescopic arms, these pull out draws are available in three heights and three depths. Internal dividers are available.



DIVIDERS

A huge range of Full Height, Part Height and Under-Shelf Dividers are available, see technical literature for all options.



DOOR SETS

Door sets allow bays to be used as lockable cupboards. Available in several heights and widths. Compatible with pull-out accessories.







KINETIC 2+ MOBILE BASE SYSTEM

This comprehensive Mobile Base System from Probe offers the highest quality track, mechanism and base. Design to create up to 100% more storage space in your existing archive area. Pictured here with Stormor Duo.

ENGINEERED EFFICIENCY

- O No floor fixings option for **easy installation** and re location
- O Five track/floor options to suit your environment
- O Smooth light action even on heavy loads
- O Double your storage space quickly and simply
- O Mobile base system is easily extended or re located
- O Quality engineered to provide a sturdy and robust mobile system



LIGHT DUTY - 750kg UDL* The **750kg** UDL* base load make these ideal for

retail stockrooms, offices and medical practices.

MEDIUM DUTY - 5,000kg UDL*

Perfect for the storage of live files, small archives, artefacts, healthcare and industrial items. Base load of up to **5,000kg** UDL.

HEAVY DUTY - 20,000kg UDL*

With a base load of up to 20,000kg UDL* these are ideal for off-site archives and engineering stores.

*Uniformly Distributed Load.

System shown is for illustrative purposes only and may differ depending on duty requirements. Probe reserve the right to alter design and price without prior consent.



KINETIC 2+ A TRACK FOR EVERY SITUATION



FLAT FLOORS SURFACE PROFILE TRACK

A simple, quick to install and cost effective system for flat floors. Aluminium extruded ramp with steel inset is fixed directly onto the floor and is suitable for floors with a flatness of between 1mm and 3mm/1000mm, in all directions, depending on application. A typical application would be a raised floor in an office.



NEW FLOORS IN-SITU TRACK

No ramps are required for this system making it ideal for wheeled traffic. Suitable for new buildings where the final finished floor surface has not been laid. The track is levelled and fixed using nuts above and below the foot plate. For existing floors channels 200mm wide x 50mm deep can be used (subject to floor suitability).



UNEVEN FLOORS INFILL FLOOR TRACK


Suitable for floors with an average flatness of 15mm over the floor. Floors are shimmed but not fixed preventing any need to put holes into the existing floor allowing easy relocation at a later date. An infill floor is fitted, ensuring a smooth trip free floor surface between tracks. Alternative finishes can be supplied. Ramps and trim are fitted to all edges of the floor.



UNEVEN FLOORS INFILL FLOOR TRACK - FIXED

Floors are shimmed and fixed to cater for higher loads than non-fixed systems, but still allowing relocation at a later date. Suitable for floors with an average flatness of 15mm over the floor. Floors with levels outside this will need additional shims or consideration should be made to improve the floor prior to fitting the track. For example screed or a false structural floor. An infill floor is fitted, ensuring a smooth trip free floor surface between tracks. Alternative finishes can be supplied. Ramps and trim are fitted to all edges of the floor.

Probe reserve the right to alter design and price without prior consent.



FLAT FLOORS TRACKLESS

A guide rail attached to the floor along the wall guides the carriages in perfect alignment. This removes the need for fixed tracks, leaving clear unobstructed aisles, reducing trip hazards and interference for trolleys or steps. Mobiles run on non-marking, polyurethane-rimmed ball-bearing wheels.







PROBE KINETIC 2+ MOBILE SYSTEM

Here are two examples of shelving covering the same area. The New Probe Kinetic 2+ Mobile Shelving System increases shelving realestate by as much as 100% for a given area.

www.probe-manufacture.co.uk





A STATE OF THE PARTY OF THE PAR

瓣

STOCKRAX STANDARD DUTY

Features & benefits

- O Simple and quick tap together construction
- O Offers unrestricted access from all sides
- O Bays assembled within ten minutes

- o Fully adjustable shelving for speedy adaptability
- o Maximum bay loading 2000kg UDL for 1980mm high bays

maximum bay loading* 2000kg



*dependent on specification

Individual shelf loading up to 360kgs UDL dependent on specification



STOCKRAX HEAVY DUTY

Features & benefits

- O Maximum bay loading 3000kg UDL for 1980mm high bays
- O Simple and quick tap together construction
- O Wide range of widths and depths available for maximum flexibility

- O Offers unrestricted access from all sides
- o Bays assembled within ten minutes
- o Fully adjustable shelving for speedy adaptability



Many heights, widths and depths available, please enquire.

Individual shelf loading up to 650kgs UDL dependent on specification









Ideal for automotive parts storage but equally suitable for other industries requiring a storage solution for larger heavier items.

maximum bay loading:

6800kg

dependent on specification

Many heights, widths and depths available, please enquire.

Individual shelf loading up to **780kgs UDL** dependent on specification

Features & benefits


- O Ideal for larger, heavier items
- O Shelves are slotted in position for quick assembly
- O An extremely sturdy and robust shelving system
- O Extension bays can be added quickly and simply
- O Available with steel decks for even greater strength
- O Many sizes available to suit your heavy storage needs





HEAVY DUTY STEPPED BEAM (4LST)

For use with 25mm thick chipboard. Lengths range from 1050mm to 3000mm



BOX EXTRA HEAVY DUTY BEAM (3LST)

For use with chipboard or steel panels.
Lengths range from 1050mm to 3000mm.








Individual shelf loading up to 780kgs UDL dependent on specification



BEAM CONNECTOR (SC1)

Beam Locking Clip.
This ensures a safe and positive location of the beam.



C SECTION MEDIUM DUTY BEAM (2LSC)

For use with 25mm thick chipboard. Lengths range from 1050mm to 3000mm.



BOX EXTRA HEAVY DUTY BEAM (2LBC)

For use with chipboard or steel panels. Lengths range from 1050mm to 2400mm.






euroshelving Shelving

maximum bay loading: 5500kg

dependent on specification



Many heights, widths and depths available, please enquire.





STANDARD SHELFEach bay comes complete with 6 shelves.
Additional shelves can be purchased separately.

Shelf loading:

300, 400 & 450mm shelves - UDL 160kg

600mm - UDL 135kg



PULL OUT SHELF

These pull out shelves provide a flat and stable

work surface.
Width: 1000mr

1000mm 450mm 600mm



PULL OUT FILING CRADLE[†]

These cradles can accommodate A4 and

foolscap top loading suspension files.

Width: 1000mm Depth: 450mm

600mm +

†hanging files not included.



PULL OUT DRAWER

Fitted onto telescopic arms, these 150mm deep pull out draws are ideal for CD and DVD storage.

Width: 1000mm Depth: 450mm 600mm



DIVIDERS

A range of part height and full height shelf dividers are available, see price guide for all options.



PLASTIC DRAWER UNITS

Available in three sizes and ideal for the storage of small items. The drawers tilt on integrated back-stops to allow easy viewing and access.





PROBE www.probe-manufacture.co.uk